

Valid 11/2002 - 01/2003

Fluka Chemie AG
Postfach 260
CH-9471 Buchs
Switzerland
Tel: 081 755 25 11 Fax. 081 756 54 49
Night: 071 228 3600

M A T E R I A L S A F E T Y D A T A S H E E T

SECTION 1. - - - - - CHEMICAL IDENTIFICATION- - - - -

CATALOG #: 21181
NAME: CALCIUM HYDROXIDE

SECTION 2. - - - - - COMPOSITION/INFORMATION ON INGREDIENTS - - - - -

CAS #: 1305-62-0
MF: CAH2O2
EC NO: 215-137-3

SYNONYMS

BELL MINE * BIOCALC * CALCIUM DIHYDROXIDE * CALCIUM HYDRATE * CALCIUM
HYDROXIDE (ACGIH:OSHA) * CALVIT * CARBOXIDE * HYDRATED LIME *
KALKHYDRATE * KEMIKAL * LIMBUX * LIME MILK * LIME WATER * MILK OF
LIME * SLAKED LIME *

SECTION 3. - - - - - HAZARDS IDENTIFICATION - - - - -

LABEL PRECAUTIONARY STATEMENTS

CORROSIVE
CAUSES BURNS.
IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF
WATER AND SEEK MEDICAL ADVICE.
WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE
PROTECTION.
IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE
IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).

SECTION 4. - - - - - FIRST-AID MEASURES- - - - -

IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS.
CALL A PHYSICIAN IMMEDIATELY.
DO NOT INDUCE VOMITING.
IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL
RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER
FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND
SHOES. CALL A PHYSICIAN.
IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER
FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING
THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.

SECTION 5. - - - - - FIRE FIGHTING MEASURES - - - - -

EXTINGUISHING MEDIA
DRY CHEMICAL POWDER.
SPECIAL FIREFIGHTING PROCEDURES
WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO
PREVENT CONTACT WITH SKIN AND EYES.

UNUSUAL FIRE AND EXPLOSIONS HAZARDS
EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

SECTION 6. - - - - - ACCIDENTAL RELEASE MEASURES- - - - -

WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS AND HEAVY
RUBBER GLOVES.
SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL.
VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.
EVACUATE AREA.

SECTION 7. - - - - - HANDLING AND STORAGE- - - - -

REFER TO SECTION 8.

SECTION 8. - - - - - EXPOSURE CONTROLS/PERSONAL PROTECTION- - - - -

SAFETY SHOWER AND EYE BATH.

USE ONLY IN A CHEMICAL FUME HOOD.
WASH CONTAMINATED CLOTHING BEFORE REUSE.
DISCARD CONTAMINATED SHOES.
WASH THOROUGHLY AFTER HANDLING.
DO NOT BREATHE DUST.
DO NOT GET IN EYES, ON SKIN, ON CLOTHING.
AVOID PROLONGED OR REPEATED EXPOSURE.
NIOSH/MSHA-APPROVED RESPIRATOR.
COMPATIBLE CHEMICAL-RESISTANT GLOVES.
CHEMICAL SAFETY GOGGLES.
KEEP TIGHTLY CLOSED.
STORE IN A COOL DRY PLACE.

SECTION 9. - - - - - PHYSICAL AND CHEMICAL PROPERTIES - - - - -
PHYSICAL PROPERTIES

SPECIFIC GRAVITY: 2,24

SECTION 10. - - - - - -STABILITY AND REACTIVITY - - - - -
STABILITY

STABLE.

CONDITIONS TO AVOID

ABSORBS CO2 FROM AIR.

INCOMPATIBILITIES

STRONG ACIDS

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS

CALCIUM OXIDE

HAZARDOUS POLYMERIZATION

WILL NOT OCCUR.

SECTION 11. - - - - - TOXICOLOGICAL INFORMATION - - - - -
ACUTE EFFECTS

CAUSES BURNS.

MAY BE HARMFUL IF ABSORBED THROUGH THE SKIN.

MATERIAL IS EXTREMELY DESTRUCTIVE TO THE TISSUE OF THE MUCOUS MEMBRANES
AND UPPER RESPIRATORY TRACT.

MAY BE HARMFUL IF INHALED.

MAY BE HARMFUL IF SWALLOWED.

INHALATION MAY RESULT IN SPASM, INFLAMMATION AND EDEMA OF THE
LARYNX AND BRONCHI, CHEMICAL PNEUMONITIS AND PULMONARY EDEMA.

SYMPTOMS OF EXPOSURE MAY INCLUDE BURNING SENSATION, COUGHING,
WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA AND
VOMITING.

MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES
AND UPPER RESPIRATORY TRACT, EYES AND SKIN.

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND

TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

RTECS #: EW2800000

CALCIUM HYDROXIDE

IRRITATION DATA

EYE-RBT 10 MG SEV

TXAPA9 55,501,1980

TOXICITY DATA

ORL-RAT LD50:7340 MG/KG

AIHAAP 30,470,1969

ORL-MUS LD50:7300 MG/KG

YKYUA6 32,1477,1981

ONLY SELECTED REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES
(RTECS) DATA IS PRESENTED HERE. SEE ACTUAL ENTRY IN RTECS FOR
COMPLETE INFORMATION.

SECTION 12. - - - - - ECOLOGICAL INFORMATION - - - - -
DATA NOT YET AVAILABLE.

SECTION 13. - - - - - DISPOSAL CONSIDERATIONS - - - - -
CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE TO DISPOSE OF
THIS MATERIAL.

DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A
CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.

OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

SECTION 14. - - - - - TRANSPORT INFORMATION - - - - -
CONTACT FLUKA CHEMICAL COMPANY FOR TRANSPORTATION INFORMATION.

SECTION 15. - - - - - REGULATORY INFORMATION - - - - -
EUROPEAN INFORMATION

CORROSIVE

R 34

CAUSES BURNS.

S 26

IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE.

S 36/37/39

WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE PROTECTION.

S 45

IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).

REVIEWS, STANDARDS, AND REGULATIONS

OEL=MAK

ACGIH TLV-TWA 5 MG/M3

DTLVS* TLV/BEI,1999

EPA FIFRA 1988 PESTICIDE SUBJECT TO REGISTRATION OR RE-REGISTRATION

FEREAC 54,7740,1989

OSHA PEL (GEN INDU):8H TWA 15 MG/M3, TOTAL DUST

CFRGBR 29,1910.1000,1994

OSHA PEL (GEN INDU):8H TWA 5 MG/M3, RESPIRABLE FRACTION

CFRGBR 29,1910.1000,1994